

MCD: Mutual Clustering across Multiple Social Networks

Jiawei Zhang

University of Illinois at Chicago
Chicago, IL, USA
jzhan9@uic.edu

Philip S. Yu

University of Illinois at Chicago, IL, USA
Institute for Data Science, Tsinghua University, Beijing, China
psyu@cs.uic.edu

Abstract—Community detection in online social networks has been a hot research topic in recent years. Meanwhile, to enjoy more social network services, users nowadays are usually involved in multiple online social networks simultaneously, some of which can share common information and structures. Networks that involve some common users are named as multiple “partially aligned networks”. In this paper, we want to detect communities of multiple partially aligned networks simultaneously, which is formally defined as the “Mutual Clustering” problem. The “Mutual Clustering” problem is very challenging as it has two important issues to address: (1) how to preserve the network characteristics in mutual community detection? and (2) how to utilize the information in other aligned networks to refine and disambiguate the community structures of the shared users? To solve these two challenges, a novel community detection method, MCD (Mutual Community Detector), is proposed in this paper. MCD can detect social community structures of users in multiple partially aligned networks at the same time with full considerations of (1) characteristics of each network, and (2) information of the shared users across aligned networks. Extensive experiments conducted on two real-world partially aligned heterogeneous social networks demonstrate that MCD can solve the “Mutual Clustering” problem very well.

Keywords—*Mutual Clustering, Multiple Aligned Social Networks, Data Mining*

I. INTRODUCTION

Nowadays, online social networks which can provide users with various services have become ubiquitous in our daily life. The services provided by social networks are very diverse, e.g., make new friends online, read and write comments on recent news, recommend products and locations, etc. Real-world social networks which can provide these services usually have heterogeneous information, involving various kinds of information entities (e.g., users, locations, posts) and complex connections (e.g., social links among users, purchase links between users and products). Meanwhile, among these services provided by social networks, community detection techniques play a very important role. For example, organization of online friends and group-level recommendations of products are all based on community structures of users detected from the networks.

Meanwhile, as proposed in [12], [32], [33], [36], to enjoy more social services, users nowadays are usually involved in multiple online social networks simultaneously, e.g., Facebook, Twitter and Foursquare. Furthermore, some of these networks can share common information either due to the common network establishing purpose or because of similar network

features [34]. Across these networks, the common users are defined as the *anchor users*, while the remaining non-shared users are named as the *non-anchor users*. Connections between *anchor users*’ accounts in different networks are defined as the *anchor links*. The networks partially aligned by *anchor links* are called *multiple partially aligned networks*.

Big data are high-volume, high-velocity, and high-variety information assets that require new forms of processing to enable enhanced decision making, insight discovery and process optimization [9]. Fusion and integration of multiple online social networks produces one kind of big data in our daily lives [1]. In this paper, we want to detect the communities of each network across multiple *partially aligned social networks* simultaneously, which is formally defined as the *Mutual Clustering* problem. The goal is to distill relevant information from another social network to compliment knowledge directly derivable from each network to improve the clustering or community detection, while preserving the distinct characteristics of each individual network. The *Mutual Clustering* problem is very important for online social networks and can be the prerequisite for many concrete social network applications: (1) *network partition*: Detected communities can usually represent small-sized subgraphs of the network, and (2) *comprehensive understanding of user social behaviors*: Community structures of the shared users in multiple aligned networks can provide a complementary understanding of their social interactions in online social networks.

Besides its importance, the *Mutual Clustering* problem is a novel problem and different from existing clustering problems, including: (1) *consensus clustering*, [7], [14], [21], [17], [16] which aims at achieving a consensus result of several input clustering results about the same data; (2) *multi-view clustering*, [3], [4] whose target is to partition objects into clusters based on their different representations, e.g., clustering web-pages with text information and hyperlinks; (3) *multi-relational clustering*, [30], [2] which focuses on clustering objects in one relation (called target relation) using information in multiple inter-linked relations; and (4) *co-regularized multi-domain graph clustering* [5], which relaxes the *one-to-one* constraints on node correspondence relationships between different views in multi-view clustering to “*uncertain*” mappings. In [5], prior knowledge about the weights of mappings is required and each view is actually a homogeneous network (more differences are summarized in Section V). Unlike these existing clustering problems, the *Mutual Clustering* problem aims at detecting the communities for multiple networks involving both anchor and

TABLE I
SUMMARY OF HNMPs.

ID	Notation	Heterogeneous Network Meta Path	Semantics
1	$U \rightarrow U$	User $\xrightarrow{\text{follow}}$ User	Follow
2	$U \rightarrow U \rightarrow U$	User $\xrightarrow{\text{follow}}$ User $\xrightarrow{\text{follow}}$ User	Follower of Follower
3	$U \rightarrow U \leftarrow U$	User $\xrightarrow{\text{follow}}$ User $\xrightarrow{\text{follow}^{-1}}$ User	Common Out Neighbor
4	$U \leftarrow U \rightarrow U$	User $\xrightarrow{\text{follow}^{-1}}$ User $\xrightarrow{\text{follow}}$ User	Common In Neighbor
5	$U \rightarrow P \rightarrow W \leftarrow P \leftarrow U$	User $\xrightarrow{\text{write}}$ Post $\xrightarrow{\text{contain}}$ Word $\xrightarrow{\text{contain}^{-1}}$ Post $\xrightarrow{\text{write}^{-1}}$ User	Posts Containing Common Words
6	$U \rightarrow P \rightarrow T \leftarrow P \leftarrow U$	User $\xrightarrow{\text{write}}$ Post $\xrightarrow{\text{contain}}$ Time $\xrightarrow{\text{contain}^{-1}}$ Post $\xrightarrow{\text{write}^{-1}}$ User	Posts Containing Common Timestamps
7	$U \rightarrow P \rightarrow L \leftarrow P \leftarrow U$	User $\xrightarrow{\text{write}}$ Post $\xrightarrow{\text{attach}}$ Location $\xrightarrow{\text{attach}^{-1}}$ Post $\xrightarrow{\text{write}^{-1}}$ User	Posts Attaching Common Location Check-ins

network, we use the concept of social meta path to define closeness measure among users in Section 3.1. Based on this similarity measure, we introduce the network characteristics preservation independent clustering method in Section 3.2 and normalized discrepancy based co-clustering method in Section 3.3. To preserve network characteristics and use information in other networks to refine community structures mutually at the same time, we study the mutual clustering problem in Section 3.4.

A. HNMP-Sim

Many existing similarity measures, e.g., ‘‘Common Neighbor’’ [8], ‘‘Jaccard’s Coefficient’’ [8], defined for homogeneous networks cannot capture all the connections among users in heterogeneous networks. To use both direct and indirect connections among users in calculating the similarity score among users in the heterogeneous information network, we introduce meta path based similarity measure HNMP-Sim in this section.

1) *Meta Paths in Heterogeneous Networks*: In heterogeneous networks, pairs of nodes can be connected by different paths, which are sequences of links in the network. Meta paths [24], [25] in heterogeneous networks, i.e., *heterogeneous network meta paths* (HNMPs), can capture both direct and indirect connections among nodes in a network. The length of a meta path is defined as the number of links that constitute it. Meta paths in networks can start and end with various node types. However, in this paper, we are mainly concerned about those starting and ending with users, which are formally defined as the *social HNMPs*. The notation, definition and semantics of 7 different *social HNMPs* used in this paper are listed in Table I. To extract the social meta paths, prior domain knowledge about the network structure is required.

2) *HNMP-based Similarity*: These 7 different social HNMPs in Table I can cover lots of connections among users in networks. Some meta path based similarity measures have been proposed so far, e.g., the *PathSim* proposed in [24], which is defined for undirected networks and considers different meta paths to be of the same importance. To measure the social closeness among users in directed heterogeneous information networks, we extend *PathSim* to propose a new closeness measure as follows.

Definition 1 (HNMP-Sim): Let $\mathcal{P}_i(x \rightsquigarrow y)$ and $\mathcal{P}_i(x \rightsquigarrow \cdot)$ be the sets of path instances of HNMP # i going from x to

y and those going from x to other nodes in the network. The HNMP-Sim (HNMP based Similarity) of node pair (x, y) is defined as

$$\text{HNMP-Sim}(x, y) = \sum_i \omega_i \left(\frac{|\mathcal{P}_i(x \rightsquigarrow y)| + |\mathcal{P}_i(y \rightsquigarrow x)|}{|\mathcal{P}_i(x \rightsquigarrow \cdot)| + |\mathcal{P}_i(y \rightsquigarrow \cdot)|} \right),$$

where ω_i is the weight of HNMP # i and $\sum_i \omega_i = 1$. In this paper, the weights of different HNMPs can be automatically adjusted by applying the technique proposed in [34].

Let \mathbf{A}_i be the *adjacency matrix* corresponding to the HNMP # i among users in the network and $\mathbf{A}_i(m, n) = k$ iff there exist k different path instances of HNMP # i from user m to n in the network. Furthermore, the similarity score matrix among users of HNMP # i can be represented as $\mathbf{S}_i = (\mathbf{D}_i + \bar{\mathbf{D}}_i)^{-1} (\mathbf{A}_i + \mathbf{A}_i^T)$, where \mathbf{A}_i^T denotes the transpose of \mathbf{A}_i , diagonal matrices \mathbf{D}_i and $\bar{\mathbf{D}}_i$ have values $\mathbf{D}_i(l, l) = \sum_m \mathbf{A}_i(l, m)$ and $\bar{\mathbf{D}}_i(l, l) = \sum_m (\mathbf{A}_i^T)(l, m)$ on their diagonals respectively. The HNMP-Sim matrix of the network which can capture all possible connections among users is represented as follows:

$$\mathbf{S} = \sum_i \omega_i \mathbf{S}_i = \sum_i \omega_i \left((\mathbf{D}_i + \bar{\mathbf{D}}_i)^{-1} (\mathbf{A}_i + \mathbf{A}_i^T) \right).$$

B. Network Characteristic Preservation Clustering

Clustering each network independently can preserve each networks characteristics effectively as no information from external networks will interfere with the clustering results. Partitioning users of a certain network into several clusters will cut connections in the network and lead to some costs inevitably. Optimal clustering results can be achieved by minimizing the clustering costs.

For a given network G , let $\mathcal{C} = \{U_1, U_2, \dots, U_k\}$ be the community structures detected from G . Term $\bar{U}_i = \mathcal{U} - U_i$ is defined to be the complement of set U_i in G . Various cost measure of partition \mathcal{C} can be used, e.g., *cut* [29] and *normalized cut* [23]:

$$\text{cut}(\mathcal{C}) = \frac{1}{2} \sum_{i=1}^k S(U_i, \bar{U}_i) = \frac{1}{2} \sum_{i=1}^k \sum_{u \in U_i, v \in \bar{U}_i} S(u, v),$$

$$N\text{cut}(\mathcal{C}) = \frac{1}{2} \sum_{i=1}^k \frac{S(U_i, \bar{U}_i)}{S(U_i, \cdot)} = \sum_{i=1}^k \frac{\text{cut}(U_i, \bar{U}_i)}{S(U_i, \cdot)},$$

where $S(u, v)$ denotes the HNMP-Sim between u, v and $S(U_i, \cdot) = S(U_i, \mathcal{U}) = S(U_i, U_i) + S(U_i, \bar{U}_i)$.

For all users in \mathcal{U} , their clustering result can be represented in the *result confidence matrix* \mathbf{H} , where $\mathbf{H} = [\mathbf{h}_1, \mathbf{h}_2, \dots, \mathbf{h}_n]^T$, $n = |\mathcal{U}|$, $\mathbf{h}_i = (h_{i,1}, h_{i,2}, \dots, h_{i,k})$ and $h_{i,j}$ denotes the confidence that $u_i \in \mathcal{U}$ is in cluster $U_j \in \mathcal{C}$. The optimal \mathbf{H} that can minimize the normalized-cut cost can be obtained by solving the following objective function [27]:

$$\begin{aligned} \min_{\mathbf{H}} \quad & \text{Tr}(\mathbf{H}^T \mathbf{L} \mathbf{H}), \\ \text{s.t.} \quad & \mathbf{H}^T \mathbf{D} \mathbf{H} = \mathbf{I}. \end{aligned}$$

where $\mathbf{L} = \mathbf{D} - \mathbf{S}$, diagonal matrix \mathbf{D} has $\mathbf{D}(i, i) = \sum_j \mathbf{S}(i, j)$ on its diagonal, and \mathbf{I} is an identity matrix.

C. Discrepancy based Clustering of Multiple Networks

Besides the shared information due to common network construction purposes and similar network features [34], anchor users can also have unique information (e.g., social structures) across aligned networks, which can provide us with a more comprehensive knowledge about the community structures formed by these users. Meanwhile, by maximizing the consensus (i.e., minimizing the “discrepancy”) of the clustering results about the anchor users in multiple partially aligned networks, we refine the clustering results of the anchor users with information in other aligned networks mutually. We can represent the clustering results achieved in $G^{(1)}$ and $G^{(2)}$ as $\mathcal{C}^{(1)} = \{U_1^{(1)}, U_2^{(1)}, \dots, U_{k^{(1)}}^{(1)}\}$ and $\mathcal{C}^{(2)} = \{U_1^{(2)}, U_2^{(2)}, \dots, U_{k^{(2)}}^{(2)}\}$ respectively.

Let u_i and u_j be two anchor users in the network, whose accounts in $G^{(1)}$ and $G^{(2)}$ are $u_i^{(1)}, u_i^{(2)}, u_j^{(1)}$ and $u_j^{(2)}$ respectively. If users $u_i^{(1)}$ and $u_j^{(1)}$ are partitioned into the same cluster in $G^{(1)}$ but their corresponding accounts $u_i^{(2)}$ and $u_j^{(2)}$ are partitioned into different clusters in $G^{(2)}$, then it will lead to a *discrepancy* between the clustering results of $u_i^{(1)}, u_i^{(2)}, u_j^{(1)}$ and $u_j^{(2)}$ in aligned networks $G^{(1)}$ and $G^{(2)}$.

Definition 2 (Discrepancy): The discrepancy between the clustering results of u_i and u_j across aligned networks $G^{(1)}$ and $G^{(2)}$ is defined as the difference of confidence scores of u_i and u_j being partitioned in the same cluster across aligned networks. Considering that in the clustering results, the confidence scores of $u_i^{(1)}$ and $u_j^{(1)}$ ($u_i^{(2)}$ and $u_j^{(2)}$) being partitioned into $k^{(1)}$ ($k^{(2)}$) clusters can be represented as vectors $\mathbf{h}_i^{(1)}$ and $\mathbf{h}_j^{(1)}$ ($\mathbf{h}_i^{(2)}$ and $\mathbf{h}_j^{(2)}$) respectively, while the confidences that u_i and u_j are in the same cluster in $G^{(1)}$ and $G^{(2)}$ can be denoted as $\mathbf{h}_i^{(1)}(\mathbf{h}_j^{(1)})^T$ and $\mathbf{h}_i^{(2)}(\mathbf{h}_j^{(2)})^T$. Formally, the discrepancy of the clustering results about u_i and u_j is defined to be $d_{ij}(\mathcal{C}^{(1)}, \mathcal{C}^{(2)}) = (\mathbf{h}_i^{(1)}(\mathbf{h}_j^{(1)})^T - \mathbf{h}_i^{(2)}(\mathbf{h}_j^{(2)})^T)^2$ if u_i, u_j are both anchor users; and $d_{ij}(\mathcal{C}^{(1)}, \mathcal{C}^{(2)}) = 0$ otherwise. Furthermore, the discrepancy of $\mathcal{C}^{(1)}$ and $\mathcal{C}^{(2)}$ will be:

$$d(\mathcal{C}^{(1)}, \mathcal{C}^{(2)}) = \sum_i \sum_j^{n^{(1)} n^{(2)}} d_{ij}(\mathcal{C}^{(1)}, \mathcal{C}^{(2)}),$$

where $n^{(1)} = |\mathcal{U}^{(1)}|$ and $n^{(2)} = |\mathcal{U}^{(2)}|$. In the definition, non-anchor users are not involved in the discrepancy calculation, which is totally different from the clustering disagreement function (all the nodes are included) introduced in [5]

However, considering that $d(\mathcal{C}^{(1)}, \mathcal{C}^{(2)})$ is highly dependent on the number of anchor users and anchor links between $G^{(1)}$ and $G^{(2)}$, minimizing $d(\mathcal{C}^{(1)}, \mathcal{C}^{(2)})$ can favor highly consented clustering results when the anchor users are abundant but have no significant effects when the anchor users are very rare. To solve this problem, we propose to minimize the *normalized discrepancy* instead, which significantly differs from the absolute clustering disagreement cost used in [5].

Definition 3 (Normalized Discrepancy) The normalized discrepancy measure computes the differences of clustering results in two aligned networks as a fraction of the discrepancy with regard to the number of anchor users across partially aligned networks:

$$Nd(\mathcal{C}^{(1)}, \mathcal{C}^{(2)}) = \frac{d(\mathcal{C}^{(1)}, \mathcal{C}^{(2)})}{(|A^{(1,2)}|)(|A^{(1,2)}| - 1)}.$$

Optimal consensus clustering results of $G^{(1)}$ and $G^{(2)}$ will be $\mathcal{C}^{(1)}, \mathcal{C}^{(2)}$:

$$\hat{\mathcal{C}}^{(1)}, \hat{\mathcal{C}}^{(2)} = \arg \min_{\mathcal{C}^{(1)}, \mathcal{C}^{(2)}} Nd(\mathcal{C}^{(1)}, \mathcal{C}^{(2)}).$$

Similarly, the normalized-discrepancy objective function can also be represented with the *clustering results confidence matrices* $\mathbf{H}^{(1)}$ and $\mathbf{H}^{(2)}$ as well. Meanwhile, considering that the networks studied in this paper are partially aligned, matrices $\mathbf{H}^{(1)}$ and $\mathbf{H}^{(2)}$ contain the results of both anchor users and non-anchor users, while non-anchor users should not be involved in the discrepancy calculation according to the definition of discrepancy. We propose to prune the results of the non-anchor users with the following *anchor transition matrix* first.

Definition 4 (Anchor Transition Matrix): Binary matrix $\mathbf{T}^{(1,2)}$ (or $\mathbf{T}^{(2,1)}$) is defined as the anchor transition matrix from networks $G^{(1)}$ to $G^{(2)}$ (or from $G^{(2)}$ to $G^{(1)}$), where $\mathbf{T}^{(1,2)} = (\mathbf{T}^{(2,1)})^T$, $\mathbf{T}^{(1,2)}(i, j) = 1$ if $(u_i^{(1)}, u_j^{(2)}) \in A^{(1,2)}$ and 0 otherwise. The row indexes of $\mathbf{T}^{(1,2)}$ (or $\mathbf{T}^{(2,1)}$) are of the same order as those of $\mathbf{H}^{(1)}$ (or $\mathbf{H}^{(2)}$). Considering that the constraint on anchor links is “one-to-one” in this paper, as a result, each row/column of $\mathbf{T}^{(1,2)}$ and $\mathbf{T}^{(2,1)}$ contains at most one entry filled with 1.

In Figure 2, we show an example about the clustering discrepancy of two partially aligned networks $G^{(1)}$ and $G^{(2)}$, users in which are grouped into two clusters $\{\{u_1, u_3\}, \{u_2\}\}$ and $\{\{u_A, u_C\}, \{u_B, u_D\}\}$ respectively. Users u_1, u_A and u_3, u_C are identified to be anchor users, based on which we can construct the “anchor transition matrices” $\mathbf{T}^{(1,2)}$ and $\mathbf{T}^{(2,1)}$ as shown in the upper right plot. Furthermore, based on the community structure, we can construct the “clustering confidence matrices” as shown in the lower left plot. To obtain the clustering results of anchor users only, the *anchor transition matrix* can be applied to prune the clustering results of non-anchor users from the *clustering confidence matrices*. By multiplying the *anchor transition matrices* $(\mathbf{T}^{(1,2)})^T$ and $(\mathbf{T}^{(2,1)})^T$ with *clustering confidence matrices* $\mathbf{H}^{(1)}$ and $\mathbf{H}^{(2)}$




Fig. 2. An example to illustrate the clustering discrepancy.

respectively, we can obtain the ‘‘pruned confidence matrices’’ as show in the lower right plot of Figure 2. Entries corresponding anchor users u_1, u_3, u_A and u_C are preserved but those corresponding to non-anchor users are all pruned.

In this example, the clustering discrepancy of the partially aligned networks should be 0 according to the above discrepancy definition. Meanwhile, networks $G^{(1)}$ and $G^{(2)}$ are of different sizes and the pruned confidence matrices are of different dimensions, e.g., $(\mathbf{T}^{(1,2)})^T \mathbf{H}^{(1)} \in \mathbb{R}^{4 \times 2}$ and $(\mathbf{T}^{(2,1)})^T \mathbf{H}^{(2)} \in \mathbb{R}^{3 \times 2}$. To represent the discrepancy with the clustering confidence matrices, we need to further accommodate the dimensions of different pruned *clustering confidence matrices*. It can be achieved by multiplying one pruned *clustering confidence matrices* with the corresponding *anchor transition matrix* again, which will not prune entries but only adjust the matrix dimensions. Let $\bar{\mathbf{H}}^{(1)} = (\mathbf{T}^{(1,2)})^T \mathbf{H}^{(1)}$ and $\bar{\mathbf{H}}^{(2)} = (\mathbf{T}^{(1,2)})^T (\mathbf{T}^{(2,1)})^T \mathbf{H}^{(2)}$. In the example, we can represent the clustering discrepancy to be

$$\left\| \bar{\mathbf{H}}^{(1)} (\bar{\mathbf{H}}^{(1)})^T - \bar{\mathbf{H}}^{(2)} (\bar{\mathbf{H}}^{(2)})^T \right\|_F^2 = 0,$$

where matrix $\bar{\mathbf{H}}\bar{\mathbf{H}}^T$ indicates whether pairs of anchor users are in the same cluster or not.

Furthermore, the objective function of inferring clustering confidence matrices, which can minimize the normalized discrepancy can be represented as follows

$$\min_{\mathbf{H}^{(1)}, \mathbf{H}^{(2)}} \frac{\left\| \bar{\mathbf{H}}^{(1)} (\bar{\mathbf{H}}^{(1)})^T - \bar{\mathbf{H}}^{(2)} (\bar{\mathbf{H}}^{(2)})^T \right\|_F^2}{\left\| \mathbf{T}^{(1,2)} \right\|_F^2 \left(\left\| \mathbf{T}^{(1,2)} \right\|_F^2 - 1 \right)},$$

s.t. $(\mathbf{H}^{(1)})^T \mathbf{D}^{(1)} \mathbf{H}^{(1)} = \mathbf{I}, (\mathbf{H}^{(2)})^T \mathbf{D}^{(2)} \mathbf{H}^{(2)} = \mathbf{I}.$

where $\mathbf{D}^{(1)}, \mathbf{D}^{(2)}$ are the corresponding diagonal matrices of HNMP-Sim matrices of networks $G^{(1)}$ and $G^{(2)}$ respectively.

D. Joint Mutual Clustering of Multiple Networks

Normalized-Cut objective function favors clustering results that can preserve the characteristic of each network, however, normalized-discrepancy objective function favors consensus results which are mutually refined with information from other aligned networks. Taking both of these two issues into considerations, the optimal mutual clustering results $\hat{\mathcal{C}}^{(1)}$ and

Algorithm 1 Curvilinear Search Method (CSM)

Input: \mathbf{X}_k, C_k, Q_k and function \mathcal{F}
parameters $\epsilon = \{\rho, \eta, \delta, \tau, \tau_m, \tau_M\}$
Output: $\mathbf{X}_{k+1}, C_{k+1}, Q_{k+1}$
1: $\mathbf{Y}(\tau) = (\mathbf{I} + \frac{\tau}{2} \mathbf{A})^{-1} (\mathbf{I} - \frac{\tau}{2} \mathbf{A}) \mathbf{X}_k$
2: **while** $\mathcal{F}(\mathbf{Y}(\tau)) \geq C_k + \rho \tau \mathcal{F}'(\mathbf{Y}(0))$ **do**
3: $\tau = \delta \tau$
4: $\mathbf{Y}(\tau) = (\mathbf{I} + \frac{\tau}{2} \mathbf{A})^{-1} (\mathbf{I} - \frac{\tau}{2} \mathbf{A}) \mathbf{X}_k$
5: **end while**
6: $\mathbf{X}_{k+1} = \mathbf{Y}_k(\tau)$
 $Q_{k+1} = \eta Q_k + 1$
 $C_{k+1} = (\eta Q_k C_k + \mathcal{F}(\mathbf{X}_{k+1})) / Q_{k+1}$
 $\tau = \max(\min(\tau, \tau_M), \tau_m)$

$\hat{\mathcal{C}}^{(2)}$ of aligned networks $G^{(1)}$ and $G^{(2)}$ can be achieved as follows:

$$\arg \min_{\mathcal{C}^{(1)}, \mathcal{C}^{(2)}} \alpha \cdot Ncut(\mathcal{C}^{(1)}) + \beta \cdot Ncut(\mathcal{C}^{(2)}) + \theta \cdot Nd(\mathcal{C}^{(1)}, \mathcal{C}^{(2)})$$

where α, β and θ represents the weights of these terms and, for simplicity, α, β are both set as 1 in this paper.

By replacing $Ncut(\mathcal{C}^{(1)})$, $Ncut(\mathcal{C}^{(2)})$, $Nd(\mathcal{C}^{(1)}, \mathcal{C}^{(2)})$ with the objective equations derived above, we can rewrite the joint objective function as follows:

$$\min_{\mathbf{H}^{(1)}, \mathbf{H}^{(2)}} \alpha \cdot \text{Tr}((\mathbf{H}^{(1)})^T \mathbf{L}^{(1)} \mathbf{H}^{(1)}) + \beta \cdot \text{Tr}((\mathbf{H}^{(2)})^T \mathbf{L}^{(2)} \mathbf{H}^{(2)})$$

$$+ \theta \cdot \frac{\left\| \bar{\mathbf{H}}^{(1)} (\bar{\mathbf{H}}^{(1)})^T - \bar{\mathbf{H}}^{(2)} (\bar{\mathbf{H}}^{(2)})^T \right\|_F^2}{\left\| \mathbf{T}^{(1,2)} \right\|_F^2 \left(\left\| \mathbf{T}^{(1,2)} \right\|_F^2 - 1 \right)},$$

s.t. $(\mathbf{H}^{(1)})^T \mathbf{D}^{(1)} \mathbf{H}^{(1)} = \mathbf{I}, (\mathbf{H}^{(2)})^T \mathbf{D}^{(2)} \mathbf{H}^{(2)} = \mathbf{I},$

where $\mathbf{L}^{(1)} = \mathbf{D}^{(1)} - \mathbf{S}^{(1)}$, $\mathbf{L}^{(2)} = \mathbf{D}^{(2)} - \mathbf{S}^{(2)}$ and matrices $\mathbf{S}^{(1)}, \mathbf{S}^{(2)}$ and $\mathbf{D}^{(1)}, \mathbf{D}^{(2)}$ are the HNMP-Sim matrices and their corresponding diagonal matrices defined before.

The objective function is a complex optimization problem with orthogonality constraints, which can be very difficult to solve because the constraints are not only non-convex but also numerically expensive to preserve during iterations. Meanwhile, by substituting $(\mathbf{D}^{(1)})^{\frac{1}{2}} \mathbf{H}^{(1)}$ and $(\mathbf{D}^{(2)})^{\frac{1}{2}} \mathbf{H}^{(2)}$ with $\mathbf{X}^{(1)}, \mathbf{X}^{(2)}$, we can transform the objective function into a standard form of problems solvable with method proposed in [28]:

$$\min_{\mathbf{X}^{(1)}, \mathbf{X}^{(2)}} \alpha \cdot \text{Tr}((\mathbf{X}^{(1)})^T \tilde{\mathbf{L}}^{(1)} \mathbf{X}^{(1)}) + \beta \cdot \text{Tr}((\mathbf{X}^{(2)})^T \tilde{\mathbf{L}}^{(2)} \mathbf{X}^{(2)})$$

$$+ \theta \cdot \frac{\left\| \tilde{\mathbf{T}}^{(1)} \mathbf{X}^{(1)} (\tilde{\mathbf{T}}^{(1)} \mathbf{X}^{(1)})^T - \tilde{\mathbf{T}}^{(2)} \mathbf{X}^{(2)} (\tilde{\mathbf{T}}^{(2)} \mathbf{X}^{(2)})^T \right\|_F^2}{\left\| \mathbf{T}^{(1,2)} \right\|_F^2 \left(\left\| \mathbf{T}^{(1,2)} \right\|_F^2 - 1 \right)},$$

s.t. $(\mathbf{X}^{(1)})^T \mathbf{X}^{(1)} = \mathbf{I}, (\mathbf{X}^{(2)})^T \mathbf{X}^{(2)} = \mathbf{I}.$

where $\tilde{\mathbf{L}}^{(1)} = ((\mathbf{D}^{(1)})^{-\frac{1}{2}})^T \mathbf{L}^{(1)} ((\mathbf{D}^{(1)})^{-\frac{1}{2}})$, $\tilde{\mathbf{L}}^{(2)} = ((\mathbf{D}^{(2)})^{-\frac{1}{2}})^T \mathbf{L}^{(2)} ((\mathbf{D}^{(2)})^{-\frac{1}{2}})$ and $\tilde{\mathbf{T}}^{(1)} = (\mathbf{T}^{(1,2)})^T (\mathbf{D}^{(1)})^{-\frac{1}{2}}$, $\tilde{\mathbf{T}}^{(2)} = (\mathbf{T}^{(1,2)})^T (\mathbf{T}^{(2,1)})^T (\mathbf{D}^{(2)})^{-\frac{1}{2}}$.

Wen et al. [28] propose a feasible method to solve the above optimization problems with a constraint-preserving update scheme. They propose to update one variable, e.g., $\mathbf{X}^{(1)}$, while fixing the other variable, e.g., $\mathbf{X}^{(2)}$, alternatively with the curvilinear search with Barzilai-Borwein step method until

Algorithm 2 Mutual Community Detector (MCD)

Input: aligned network: $\mathcal{G} = \{\{G^{(1)}, G^{(2)}\}, \{A^{(1,2)}, A^{(2,1)}\}\}$;
number of clusters in $G^{(1)}$ and $G^{(2)}$: $k^{(1)}$ and $k^{(2)}$;
HNMP Sim matrices weight: ω ;
parameters: $\epsilon = \{\rho, \eta, \delta, \tau, \tau_m, \tau_M\}$;
function \mathcal{F} and consensus term weight θ

Output: $\mathbf{H}^{(1)}, \mathbf{H}^{(2)}$

- 1: Calculate HNMP Sim matrices, $\mathbf{S}_i^{(1)}$ and $\mathbf{S}_i^{(2)}$
- 2: $\mathbf{S}^{(1)} = \sum_i \omega_i \mathbf{S}_i^{(1)}$, $\mathbf{S}^{(2)} = \sum_i \omega_i \mathbf{S}_i^{(2)}$
- 3: Initialize $\mathbf{X}^{(1)}$ and $\mathbf{X}^{(2)}$ with Kmeans clustering results on $\mathbf{S}^{(1)}$ and $\mathbf{S}^{(2)}$
- 4: Initialize $C_0^{(1)} = 0, Q_0^{(1)} = 1$ and $C_0^{(2)} = 0, Q_0^{(2)} = 1$
- 5: *converge* = *False*
- 6: **while** *converge* = *False* **do**
- 7: /* update $\mathbf{X}^{(1)}$ and $\mathbf{X}^{(2)}$ with *CSM* */
 $\mathbf{X}_{k+1}^{(1)}, C_{k+1}^{(1)}, Q_{k+1}^{(1)} = \text{CSM}(\mathbf{X}_k^{(1)}, C_k^{(1)}, Q_k^{(1)}, \mathcal{F}, \epsilon)$
 $\mathbf{X}_{k+1}^{(2)}, C_{k+1}^{(2)}, Q_{k+1}^{(2)} = \text{CSM}(\mathbf{X}_k^{(2)}, C_k^{(2)}, Q_k^{(2)}, \mathcal{F}, \epsilon)$
- 8: **if** $\mathbf{X}_{k+1}^{(1)}$ and $\mathbf{X}_{k+1}^{(2)}$ both converge **then**
- 9: *converge* = *True*
- 10: **end if**
- 11: **end while**
- 12: $\mathbf{H}^{(1)} = (\mathbf{D}^{(1)})^{-\frac{1}{2}} \mathbf{X}^{(1)}$, $\mathbf{H}^{(2)} = (\mathbf{D}^{(2)})^{-\frac{1}{2}} \mathbf{X}^{(2)}$

convergence. For example, when $\mathbf{X}^{(2)}$ is fixed, we can simplify the objective function into

$$\min_{\mathbf{X}} \mathcal{F}(\mathbf{X}), s.t. (\mathbf{X})^T \mathbf{X} = \mathbf{I},$$

where $\mathbf{X} = \mathbf{X}^{(1)}$ and $\mathcal{F}(\mathbf{X})$ is the objective function, which can be solved with the curvilinear search with Barzilai-Borwein step method proposed in [28] to update \mathbf{X} until convergence and the variable \mathbf{X} after the $(k+1)_{th}$ iteration will be

$$\mathbf{X}_{k+1} = \mathbf{Y}(\tau_k), \mathbf{Y}(\tau_k) = \left(\mathbf{I} + \frac{\tau_k}{2} \mathbf{A}\right)^{-1} \left(\mathbf{I} - \frac{\tau_k}{2} \mathbf{A}\right) \mathbf{X}_k,$$

$$\mathbf{A} = \frac{\partial \mathcal{F}(\mathbf{X}_k)}{\partial \mathbf{X}} \mathbf{X}_k^T - \mathbf{X}_k \left(\frac{\partial \mathcal{F}(\mathbf{X}_k)}{\partial \mathbf{X}}\right)^T,$$

where let $\hat{\tau} = \left(\frac{\text{Tr}((\mathbf{X}_k - \mathbf{X}_{k-1})^T (\mathbf{X}_k - \mathbf{X}_{k-1}))}{\left|\text{Tr}((\mathbf{X}_k - \mathbf{X}_{k-1})^T (\nabla \mathcal{F}(\mathbf{X}_k) - \nabla \mathcal{F}(\mathbf{X}_{k-1})))\right|}\right)$, $\tau_k = \hat{\tau} \delta^h$, δ is the Barzilai-Borwein step size and h is the smallest integer to make τ_k satisfy

$$\mathcal{F}(\mathbf{Y}(\tau_k)) \leq C_k + \rho \tau_k \mathcal{F}'_{\tau}(\mathbf{Y}(0)).$$

Terms C , Q are defined as $C_{k+1} = (\eta Q_k C_k + \mathcal{F}(\mathbf{X}_{k+1})) / Q_{k+1}$ and $Q_{k+1} = \eta Q_k + 1, Q_0 = 1$. More detailed derivatives of the curvilinear search method (i.e., Algorithm 1) with Barzilai-Borwein step is available in [28]. Meanwhile, the pseudo-code of method MCD is available in Algorithm 2. Based on the achieved solutions $\mathbf{X}^{(1)}$ and $\mathbf{X}^{(2)}$, we can get $\mathbf{H}^{(1)} = (\mathbf{D}^{(1)})^{-\frac{1}{2}} \mathbf{X}^{(1)}$ and $\mathbf{H}^{(2)} = (\mathbf{D}^{(2)})^{-\frac{1}{2}} \mathbf{X}^{(2)}$.

IV. EXPERIMENTS

To demonstrate the effectiveness of MCD, we will conduct extensive experiments on two real-world partially aligned heterogeneous networks: Foursquare and Twitter, in this section.

A. Dataset Description

As mentioned in the Section II, both Foursquare and Twitter used in this paper are heterogeneous social networks, whose statistical information is given in Table II. These two networks were crawled with the methods proposed in [12]

TABLE II
PROPERTIES OF THE HETEROGENEOUS SOCIAL NETWORKS

	property	network	
		Twitter	Foursquare
# node	user	5,223	5,392
	tweet/tip	9,490,707	48,756
	location	297,182	38,921
# link	friend/follow	164,920	76,972
	write	9,490,707	48,756
	locate	615,515	48,756

during November, 2012. The number of anchor links obtained is 3,388. For more information about the datasets and crawling methods, please refer to [12], [32], [33], [36].

B. Experiment Settings

1) *Comparison Methods*: The comparison methods used in the experiments can be divided into three categories,

Mutual Clustering Methods

- MCD: MCD is the mutual community detection method proposed in this paper, which can detect the communities of multiple aligned networks with consideration of the connections and characteristics of different networks. Heterogeneous information in multiple aligned networks are applied in building MCD.

Multi-Network Clustering Methods

- SICLUS: the clustering method proposed in [37], [34] can calculate the similarity scores among users by propagating heterogeneous information across views/networks. In this paper, we extend the method proposed in [37], [34] and propose SICLUS to calculate the intimacy scores among users in multiple networks simultaneously, based on which, users can be grouped into different clusters with clustering models based on intimacy matrix factorization as introduced in [34]. Heterogeneous information across networks is used to build SICLUS.

Isolated Clustering Methods, which can detect communities in each isolated network:

- NCUT: NCUT is the clustering method based on normalized cut proposed in [23]. Method NCUT can detect the communities in each social network merely based on the social connections in each network in the experiments.
- KMEANS: KMEANS is a traditional clustering method, which can be used to detect communities [22] in social networks based on the social connections only in the experiments.

2) *Evaluation Methods*: The evaluation metrics applied in this paper can be divided into two categories: Quality Metrics and Consensus Metrics.

TABLE III
COMMUNITY DETECTION RESULTS OF FOURSQUARE AND TWITTER EVALUATED BY QUALITY METRICS.

network	measure	methods	remaining anchor link rates σ									
			0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0
Foursquare	ndbi	MCD	0.927	0.924	0.95	0.969	0.966	0.961	0.958	0.954	0.971	0.958
		SICLUS	0.891	0.889	0.88	0.877	0.894	0.883	0.89	0.88	0.887	0.893
		NCUT	0.863	0.863	0.863	0.863	0.863	0.863	0.863	0.863	0.863	0.863
	entropy	MCD	1.551	1.607	1.379	1.382	1.396	1.382	1.283	1.552	1.308	1.497
		SICLUS	4.332	4.356	4.798	4.339	4.474	4.799	4.446	4.658	4.335	4.459
		NCUT	2.768	2.768	2.768	2.768	2.768	2.768	2.768	2.768	2.768	2.768
	density	MCD	0.216	0.205	0.196	0.163	0.239	0.192	0.303	0.198	0.170	0.311
		SICLUS	0.116	0.121	0.13	0.095	0.143	0.11	0.13	0.12	0.143	0.103
		NCUT	0.154	0.154	0.154	0.154	0.154	0.154	0.154	0.154	0.154	0.154
	silhouette	MCD	-0.137	-0.114	-0.148	-0.156	-0.117	-0.11	-0.035	-0.125	-0.148	-0.044
		SICLUS	-0.168	-0.198	-0.173	-0.189	-0.178	-0.181	-0.21	-0.195	-0.167	-0.18
		NCUT	-0.34	-0.34	-0.34	-0.34	-0.34	-0.34	-0.34	-0.34	-0.34	-0.34
Twitter	ndbi	MCD	0.962	0.969	0.955	0.969	0.97	0.958	0.952	0.96	0.946	0.953
		SICLUS	0.815	0.843	0.807	0.83	0.826	0.832	0.835	0.808	0.812	0.836
		NCUT	0.759	0.759	0.759	0.759	0.759	0.759	0.759	0.759	0.759	0.759
	entropy	MCD	2.27	2.667	2.48	2.381	2.43	2.372	2.452	2.459	2.564	2.191
		SICLUS	4.780	5.114	5.066	4.961	4.904	4.866	5.121	4.629	4.872	5.000
		NCUT	3.099	3.099	3.099	3.099	3.099	3.099	3.099	3.099	3.099	3.099
	density	MCD	0.14	0.097	0.142	0.109	0.15	0.158	0.126	0.149	0.147	0.164
		SICLUS	0.055	0.017	0.044	0.026	0.04	0.062	0.016	0.044	0.045	0.02
		NCUT	0.107	0.107	0.107	0.107	0.107	0.107	0.107	0.107	0.107	0.107
	silhouette	MCD	-0.137	-0.179	-0.282	-0.175	-0.275	-0.273	-0.248	-0.269	-0.266	-0.286
		SICLUS	-0.356	-0.322	-0.311	-0.347	-0.346	-0.349	-0.323	-0.363	-0.345	-0.352
		NCUT	-0.424	-0.424	-0.424	-0.424	-0.424	-0.424	-0.424	-0.424	-0.424	-0.424
		KMEANS	-0.406	-0.406	-0.406	-0.406	-0.406	-0.406	-0.406	-0.406	-0.406	

Quality Metrics: 4 widely and commonly used quality metrics are applied to measure the clustering result, e.g., $\mathcal{C} = \{U_i\}_{i=1}^K$, of each network.

- *normalized-dbi* [37]:

$$ndbi(\mathcal{C}) = \frac{1}{K} \sum_i \min_{j \neq i} \frac{d(c_i, c_j) + d(c_j, c_i)}{\sigma_i + \sigma_j + d(c_i, c_j) + d(c_j, c_i)},$$

where c_i is the centroid of community $U_i \in \mathcal{C}$, $d(c_i, c_j)$ denotes the distance between centroids c_i and c_j and σ_i represents the average distance between elements in U_i and centroid c_i . (Higher ndbi corresponds to better performance).

- *entropy* [37]: $H(\mathcal{C}) = -\sum_{i=1}^K P(i) \log P(i)$, where $P(i) = \frac{|U_i|}{\sum_{i=1}^K |U_i|}$. (Lower entropy corresponds to better performance).
- *density* [37]: $dens(\mathcal{C}) = \sum_{i=1}^K \frac{|E_i|}{|E|}$, where E and E_i are the edge sets in the network and U_i . (Higher density corresponds to better performance).
- *silhouette* [15]:

$$sil(\mathcal{C}) = \frac{1}{K} \sum_{i=1}^K \left(\frac{1}{|U_i|} \sum_{u \in U_i} \frac{b(u) - a(u)}{\max\{a(u), b(u)\}} \right),$$

where $a(u) = \frac{1}{|U_i| - 1} \sum_{v \in U_i, u \neq v} d(u, v)$ and $b(u) =$

$\min_{j, j \neq i} \left(\frac{1}{|U_j|} \sum_{v \in U_j} d(u, v) \right)$. (Higher silhouette corresponds to better performance).

Consensus Metrics: Given the clustering results $\mathcal{C}^{(1)} = \{U_i^{(1)}\}_{i=1}^{K^{(1)}}$ and $\mathcal{C}^{(2)} = \{U_i^{(2)}\}_{i=1}^{K^{(2)}}$, the consensus metrics measuring the how similar or dissimilar the anchor users are clustered in $\mathcal{C}^{(1)}$ and $\mathcal{C}^{(2)}$ include:

- *rand* [21]: $rand(\mathcal{C}^{(1)}, \mathcal{C}^{(2)}) = \frac{N_{01} + N_{10}}{N_{00} + N_{01} + N_{10} + N_{11}}$, where $N_{11}(N_{00})$ is the numbers of pairwise anchor users who are clustered in the same (different) community(ies) in both $\mathcal{C}^{(1)}$ and $\mathcal{C}^{(2)}$, $N_{01}(N_{10})$ is that of anchor users who are clustered in the same community (different communities) in $\mathcal{C}^{(1)}$ but in different communities (the same communities) in $\mathcal{C}^{(2)}$. (Lower rand corresponds to better performance).
- *variation of information* [21]: $vi(\mathcal{C}^{(1)}, \mathcal{C}^{(2)}) = H(\mathcal{C}^{(1)}) + H(\mathcal{C}^{(2)}) - 2mi(\mathcal{C}^{(1)}, \mathcal{C}^{(2)})$. (Lower vi corresponds to better performance).
- *mutual information* [21]: $mi(\mathcal{C}^{(1)}, \mathcal{C}^{(2)}) = \sum_{i=1}^{K^{(1)}} \sum_{j=1}^{K^{(2)}} P(i, j) \log \frac{P(i, j)}{P(i)P(j)}$, where $P(i, j) = \frac{|U_i^{(1)} \cap_{\mathcal{A}} U_j^{(2)}|}{|\mathcal{A}|}$ and $|U_i^{(1)} \cap_{\mathcal{A}} U_j^{(2)}| = \left| \{u | u \in U_i^{(1)}, \exists v \in U_j^{(2)}, (u, v) \in \mathcal{A}\} \right|$ [12]. (Higher mi corresponds to better performance).
- *normalized mutual information* [21]:

TABLE IV
COMMUNITY DETECTION RESULTS OF FOURSQUARE AND TWITTER EVALUATED BY CONSENSUS METRICS.

measure	methods	remaining anchor link rates σ									
		0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0
rand	MCD	0.095	0.099	0.107	0.138	0.116	0.121	0.132	0.106	0.089	0.159
	SICLUS	0.135	0.139	0.144	0.148	0.142	0.14	0.132	0.132	0.144	0.141
	NCUT	0.399	0.377	0.372	0.4	0.416	0.423	0.362	0.385	0.362	0.341
	KMEANS	0.436	0.387	0.4	0.358	0.403	0.363	0.408	0.365	0.35	0.363
vi	MCD	3.309	4.052	4.058	3.902	4.038	4.348	3.973	3.944	4.078	2.911
	SICLUS	7.56	8.324	8.414	8.713	8.756	8.836	8.832	8.621	8.427	8.02
	NCUT	5.384	5.268	5.221	4.855	5.145	5.541	5.909	5.32	5.085	5.246
	KMEANS	5.427	5.117	5.355	5.326	5.679	5.944	5.452	5.567	5.513	4.686
nmi	MCD	0.152	0.152	0.149	0.141	0.149	0.156	0.142	0.158	0.147	0.146
	SICLUS	0.172	0.097	0.081	0.06	0.056	0.069	0.078	0.093	0.105	0.149
	NCUT	0.075	0.074	0.111	0.108	0.109	0.099	0.05	0.036	0.042	0.106
	KMEANS	0.008	0.047	0.048	0.054	0.048	0.028	0.047	0.014	0.067	0.119
mi	MCD	0.756	0.611	0.4	0.258	0.394	0.431	0.381	0.533	0.697	0.689
	SICLUS	0.780	0.446	0.367	0.277	0.258	0.325	0.374	0.44	0.489	0.698
	NCUT	0.188	0.181	0.261	0.232	0.252	0.243	0.138	0.092	0.111	0.31
	KMEANS	0.02	0.112	0.119	0.135	0.127	0.078	0.119	0.038	0.194	0.314




Fig. 3. $\|\mathbf{X}^{(1)}\|_1$ and $\|\mathbf{X}^{(2)}\|_1$ in each iteration.

$$nmi(\mathcal{C}^{(1)}, \mathcal{C}^{(2)}) = \frac{mi(\mathcal{C}^{(1)}, \mathcal{C}^{(2)})}{\sqrt{H(\mathcal{C}^{(1)})H(\mathcal{C}^{(2)})}}. \text{ (Higher nmi corresponds to better performance).}$$

C. Experiment Results

The experiment results are available in Tables III-IV. To show the effects of the anchor links, we use the same networks but randomly sample a proportion of anchor links from the networks, whose number is controlled by $\sigma \in \{0.1, 0.2, \dots, 1.0\}$, where $\sigma = 0.1$ means that 10% of all the anchor links are preserved and $\sigma = 1.0$ means that all the anchor links are preserved.

Table III displays the clustering results of different methods in Foursquare and Twitter respectively under the evaluation of ndbi, entropy, density and silhouette. As shown in these two tables, MCD can achieve the highest ndbi score in both Foursquare and Twitter for different sample rate of anchor links consistently. The entropy of the clustering results achieved by MCD is the lowest among all other comparison methods and is about 70% lower than SICLUS, 40% lower than NCUT and KMEANS in both Foursquare and Twitter. In each community detected by MCD, the social connections are denser than that of SICLUS, NCUT and KMEANS. Similar results can be obtained under the evaluation of silhouette, the silhouette score achieved by MCD is the highest among all comparison methods. So, MCD can achieve better results than modified multi-view and isolated clustering methods under the evaluation of *quality metrics*.




Fig. 4. Analysis of parameters $k^{(1)}$ and $k^{(2)}$.

Table IV shows the clustering results on the aligned networks under the evaluation of consensus metrics, which include rand, vi, nmi and mi. As shown in Table IV, MCD can perform the best among all the comparison methods under the evaluation of consensus metrics. For example, the rand score of MCD is the lowest among all other methods and when $\sigma = 0.5$, the rand score of MCD is 20% lower than SICLUS, 72% lower than NCUT and KMEANS. Similar results can be obtained for other evaluation metrics, like when $\sigma = 0.5$, the vi score of MCD is about half of the the score of SICLUS; the nmi and mi score of MCD is the triple of that of KMEANS.




Fig. 5. Analysis of parameter θ .

As a result, MCD can achieve better performance than both modified multi-view and isolated clustering methods under the evaluation of *consensus metrics*.

According to the results shown in Tables III-IV, we observe that the performance of MCD doesn't varies much as σ changes. The possible reason can be that, in method MCD, normalized clustering discrepancy is applied to infer the clustering confidence matrices. As σ increases in the experiments, more anchor links are added between networks, part of whose effects will be neutralized by the normalization of clustering discrepancy and doesn't affect the performance of MCD much.

D. Convergence Analysis

MCD can compute the solution of the optimization function with Curvilinear Search method, which can update matrices $\mathbf{X}^{(1)}$ and $\mathbf{X}^{(2)}$ alternatively. This process will continue until convergence. To check whether this process can stop or not, in this part, we will analyze the convergence of $\mathbf{X}^{(1)}$ and $\mathbf{X}^{(2)}$. In Figure 3, we show the L^1 norm of matrices $\mathbf{X}^{(1)}$ and $\mathbf{X}^{(2)}$, $\|\mathbf{X}^{(1)}\|_1$ and $\|\mathbf{X}^{(2)}\|_1$, in each iteration of the updating algorithm, where the L^p norm of matrix \mathbf{X} is $\|\mathbf{X}\|_p = (\sum_i \sum_j X_{ij}^p)^{\frac{1}{p}}$. As shown in Figures 3, both $\|\mathbf{X}^{(1)}\|_1$ and $\|\mathbf{X}^{(2)}\|_1$ can converge in less than 200 iterations.

E. Parameter Analysis

In method MCD, we have three parameters: $k^{(1)}$, $k^{(2)}$ and θ , where $k^{(1)}$ and $k^{(2)}$ are the numbers of clusters in Foursquare and Twitter networks respectively, while θ is the weight of the normalized discrepancy term in the object function. In the pervious experiment, we set $k^{(1)} = 50$, $k^{(2)} = 50$ and $\theta = 1.0$. Here we will analyze the sensitivity of these parameters in details.

To analyze $k^{(1)}$, we fix $k^{(2)} = 50$ and $\theta = 1.0$ but assign $k^{(1)}$ with values in $\{10, 20, 30, 40, 50, 60, 70, 80, 90, 100\}$. The clustering results of MCD with different $k^{(1)}$ evaluated by *ndbi* and *rand* metrics are given in Figures 4(a)-4(c). As shown in the figures, the results achieved by MCD are very stable for $k^{(1)}$ with in range $[40, 100]$ under the evaluation of *ndbi* in both Foursquare and Twitter. Similar results can be obtained in Figures 4(c), where the performance of MCD on aligned networks is not sensitive to the choice of $k^{(1)}$ for $k^{(1)}$ in range $[40, 100]$ under the evaluation of both *rand*. In a similar way, we can study the sensitivity of parameter $k^{(2)}$, the results about which are shown in Figures 4(d)-4(f).

To analyze the parameter θ , we set both $k^{(1)}$ and $k^{(2)}$ as 50 but assign θ with values in $\{0.001, 0.01, 0.1, 1.0, 10.0,$

$100.0, 1000.0\}$. The results are shown in Figure 5, where when θ is small, e.g., 0.001, the *ndbi* scores achieved by MCD in both Foursquare and Twitter are high but the *rand* score is not good (*rand* is inversely proportional). On the other hand, large θ can lead to good *rand* score but bad *ndbi* scores in both Foursquare and Twitter. As a result, (1) large θ prefers consensus results, (2) small θ can preserve network characteristics and prefers high quality results.

V. RELATED WORK

Clustering is a very broad research area, which include various types of clustering problems, e.g., consensus clustering [17], [16], multi-view clustering [3], [4], multi-relational clustering [30], co-training based clustering [13], and dozens of papers have been published on these topics. Lourenco et al. [17] propose a probabilistic consensus clustering method by using evidence accumulation. Lock et al. propose a bayesian consensus clustering method in [16]. Meanwhile, Bickel et al. [3] propose to study the multi-view clustering problem, where the attributes of objects are split into two independent subsets. Cai et al. [4] propose to apply multi-view K-Means clustering methods to big data. Yin et al. [30] propose a user-guided multi-relational clustering method, CrossClus, to performs multi-relational clustering under user's guidance. Kumar et al. propose to address the multi-view clustering problem based on a co-training setting in [13].

A multi-view clustering paper which is correlated to the problem studied in this paper is [5], which relaxes the *one-to-one* constraint in traditional multi-view clustering problems to uncertain mappings. Weights of such mappings need to be decided by prior domain knowledge and each view is actually a homogeneous network. To regularize the clustering results, a cost function called *clustering disagreement* is introduced in [5], whose absolute value of all nodes in multiple views is involved in the optimization. Different from [5]: (1) the constraint on anchor links in this paper is *one-to-one* and no domain knowledge is required, (2) each network involves different users and contains heterogeneous information, (3) we apply clustering discrepancy to constrain the community structures of anchor users only and non-anchor users are pruned before calculating discrepancy cost, and (4) the clustering discrepancy is normalized before being applied in mutual clustering objective function.

Clustering based community detection in online social networks is a hot research topic and many different techniques have been proposed to optimize certain measures of the results, e.g., modularity function [20], and normalized cut [23]. Malliaros et al. give a comprehensive survey of correlated

techniques used to detect communities in networks in [18] and a detailed tutorial on spectral clustering has been given by Luxburg in [27]. These works are mostly studied based on homogeneous social networks. However, in the real-world online social networks, abundant heterogeneous information generated by users' online social activities exist in online social networks. Sun et al. [25] studies ranking-based clustering on heterogeneous networks, while Ji et al. [10] studies ranking-based classification problems on heterogeneous networks. Coscia et al. [6] proposes a classification based method for community detection in complex networks and Mucha et al. study the community structures in multiplex networks in [19].

In recent years, researchers' attention has started to shift to study multiple heterogeneous social networks simultaneously. Kong et al. [12] are the first to propose the concepts of *aligned networks* and *anchor links*. Across aligned social networks, different social network application problems have been studied, which include different cross-network link prediction/transfer [32], [33], [36], [35], emerging network clustering [34] and large-scale network community detection [11], inter-network information diffusion and influence maximization [31].

VI. CONCLUSION

In this paper, we have studied the *mutual clustering* problem across multiple partially aligned heterogeneous online social networks. A novel clustering method, MCD, has been proposed to solve the *mutual clustering* problem. We have proposed a new similarity measure, HNMP-Sim, based on social meta paths in the networks. MCD can achieve very good clustering results in all aligned networks simultaneously with full considerations of network difference problem as well as the connections across networks. Extensive experiments conducted on two real-world partially aligned heterogeneous networks demonstrate that MCD can perform very well in solving the *mutual clustering* problem.

VII. ACKNOWLEDGEMENT

This work is supported in part by NSF through grants CNS-1115234 and OISE-1129076, Google Research Award, and the Pinnacle Lab at Singapore Management University.

REFERENCES

- [1] D. Agrawal, S. Das, and A. El Abbadi. Big data and cloud computing: Current state and future opportunities. In *EDBT/ICDT*, 2011.
- [2] I. Bhattacharya and L. Getoor. Relational clustering for multi-type entity resolution. In *MRDM*, 2005.
- [3] S. Bickel and T. Scheffer. Multi-view clustering. In *ICDM*, 2004.
- [4] X. Cai, F. Nie, and H. Huang. Multi-view k-means clustering on big data. In *IJCAI*, 2013.
- [5] W. Cheng, X. Zhang, Z. Guo, Y. Wu, P. Sullivan, and W. Wang. Flexible and robust co-regularized multi-domain graph clustering. In *KDD*, 2013.
- [6] M. Coscia, F. Giannotti, and D. Pedreschi. A classification for community discovery methods in complex networks. *Statistical Analysis and Data Mining*, 2011.
- [7] A. Goder and V. Filkov. Consensus Clustering Algorithms: Comparison and Refinement. In *ALLENEX*, 2008.
- [8] M. Hasan and M. J. Zaki. A survey of link prediction in social networks. In Charu C. Aggarwal, editor, *Social Network Data Analytics*. 2011.
- [9] IBM, P. Zikopoulos, and C. Eaton. *Understanding Big Data: Analytics for Enterprise Class Hadoop and Streaming Data*. McGraw-Hill Osborne Media, 2011.
- [10] M. Ji, J. Han, and M. Danilevsky. Ranking-based classification of heterogeneous information networks. In *KDD*, 2011.
- [11] S. Jin, J. Zhang, P. Yu, S. Yang, and A. Li. Synergistic partitioning in multiple large scale social networks. In *IEEE BigData*, 2014.
- [12] X. Kong, J. Zhang, and P. Yu. Inferring anchor links across multiple heterogeneous social networks. In *CIKM*, 2013.
- [13] A. Kumar and H. Daumé. A co-training approach for multi-view spectral clustering. In *ICML*, 2011.
- [14] T. Li, C. Ding, and M. I. Jordan. Solving consensus and semi-supervised clustering problems using nonnegative matrix factorization. In *ICDM*, 2007.
- [15] Y. Liu, Z. Li, H. Xiong, X. Gao, and J. Wu. Understanding of internal clustering validation measures. In *ICDM*, 2010.
- [16] E. F. Lock and D. B. Dunson. Bayesian consensus clustering. *Bioinformatics*, 2013.
- [17] A. Lourenço, S. R. Bulò, N. Rebagliati, A. L. N. Fred, M. A. T. Figueiredo, and M. Pelillo. Probabilistic consensus clustering using evidence accumulation. *Machine Learning*, 2013.
- [18] F. D. Malliaros and M. Vazirgiannis. Clustering and community detection in directed networks: A survey. *CoRR*, 2013.
- [19] P. Mucha, T. Richardson, K. Macon, M. Porter, and J. Onnela. Community structure in time-dependent, multiscale, and multiplex networks. *Science*, 2010.
- [20] M. E. J. Newman and M. Girvan. Finding and evaluating community structure in networks. *Physical Review E*, 2004.
- [21] N. Nguyen and R. Caruana. Consensus clusterings. In *ICDM*, 2007.
- [22] G. Qi, C. Aggarwal, and T. Huang. Community detection with edge content in social media networks. In *ICDE*, 2012.
- [23] J. Shi and J. Malik. Normalized cuts and image segmentation. *TPAMI*, 2000.
- [24] Y. Sun, J. Han, X. Yan, P. Yu, and T. Wu. Pathsim: Meta path-based top-k similarity search in heterogeneous information networks. *PVLDB*, 2011.
- [25] Y. Sun, Y. Yu, and J. Han. Ranking-based clustering of heterogeneous information networks with star network schema. In *KDD*, 2009.
- [26] M. Tsikerdekis and S. Zeadally. Multiple account identity deception detection in social media using nonverbal behavior. *Information Forensics and Security, IEEE Transactions on*, 2014.
- [27] U. von Luxburg. A tutorial on spectral clustering. *CoRR*, 2007.
- [28] Z. Wen and W. Yin. A feasible method for optimization with orthogonality constraints. Technical report, Rice University, 2010.
- [29] Z. Wu and R. Leahy. An optimal graph theoretic approach to data clustering: Theory and its application to image segmentation. *TPAMI*, 1993.
- [30] X. Yin, J. Han, and P. Yu. Crossclus: user-guided multi-relational clustering. *Data Mining and Knowledge Discovery*, 2007.
- [31] Q. Zhan, J. Zhang, S. Wang, P. Yu, and J. Xie. Influence maximization across partially aligned heterogeneous social networks. In *PAKDD*, 2015.
- [32] J. Zhang, X. Kong, and P. Yu. Predicting social links for new users across aligned heterogeneous social networks. In *ICDM*, 2013.
- [33] J. Zhang, X. Kong, and P. Yu. Transferring heterogeneous links across location-based social networks. In *WSDM*, 2014.
- [34] J. Zhang and P. Yu. Community detection for emerging networks. In *SDM*, 2015.
- [35] J. Zhang and P. Yu. Integrated anchor and social link predictions across partially aligned social networks. In *IJCAI*, 2015.
- [36] J. Zhang, P. Yu, and Z. Zhou. Meta-path based multi-network collective link prediction. In *KDD*, 2014.
- [37] Y. Zhou and L. Liu. Social influence based clustering of heterogeneous information networks. In *KDD*, 2013.